

ZILLA PANCHAYATH, DAVANGERE

Department of Health and Family Welfare

Administrative Medical Officer's Office

Urban Primary Health Center, Harlapura, Harihar-577601

Harihar (Taluk)

Davangere (Dist)

Ref.No :- Y.N.A.Center,H/2024-25/88

Date: 01.04.2025

To,
Headmaster/Headmistress
St Aloysius International School
Amaravathi, Harihar, 577601

Respected Sir/Madam

Subject: Regarding Water Sample Testing and the Report of the analysis.

Sl.No	Date of the water sample collected	Time	Address	Date of the water sample tested	H2S Result Date	Water sample result
01	28-03-2025	9.50 AM	FILTER WATER	28-03-2025	30-03-2025	Water is suitable for drinking
02	28-03-2025	10.10 AM	24*7 TAP WATER	28-03-2025	30-03-2025	Water is suitable for drinking

As per the subject mentioned above, the water samples collected on 28 March 2025 from St Aloysius International School, Amravathi Harihara, were tested in the laboratory at the Urban Primary Health Centre, Harlapura Hospital. The samples were examined using the H2S method and were found to be free from contamination, thereby is confirmed deemed fit for drinking.


Place : Harihar

Date : 01-04-2025

Yoursself faithfully

Medical Officer

Urban Primary Health Center



Attested by me as per the document
Sahira Bhanu B.Ed. M.A., LL.B.
Advocate & Notary Public
5th Main, 2nd Cross, J.C. Extn.
HARIHARA-577601.
Mob: 9844754786
ATTESTED BY ME
NOTARY PJB.JC
HARIHAR.
DATE 25/04/25

CITY MUNICIPAL COUNCIL, HARIHARA-577601

Dist: Davangere

State: Karnataka

Website: www.hariharcity.mrc.gov.in

Email: itstaff_ulb_harihara@yahoo.com

Phone: 08192-244266

Fax: 08192-241024

Ref.No :- NSH/ASHA/OTHER/CR-04/2025-26

Date: 01.04.2025

“CONFIRMATION”

Subject : Regarding the better condition of Health and Sanitation at St. Aloysius International School, Amaravathi, Harihara, Davangere District.

Reference :- The Principal, St. Aloysius International School, Amaravathi, Harihara, Davangere District.

With reference to the above subject, St Aloysius International School being run at the current Harihar town, ward No12 in Amaravathi area having Katha Number from H/3578/356-1 to 3670/356-101 has applied online application to obtain Health and Sanitation certificate for CBSE affiliation for the year 2025-26.

With respect to this, the Health Inspector of City Municipal Council, Harihar having visited the school on 28/03/2025, has found the following details of the washrooms and rooms in the building.


1. There are 3 floors of School rooms
2. A total of 11 toilets for girls.
3. A total of 11 toilets for boys.
4. One toilet for male staff.
5. One toilet for female staff.
6. Four resting rooms. A playground in front of the school.

Therefore, the sanitation and health/hygiene at St. Aloysius International School, Amaravathi, Harihara, is found to be satisfactory.

Signed by
Health Inspector
City Municipal Council, Harihara

To
The Principal,
St. Aloysius International School,
Amaravathi, Harihara,
Davangere District

Sahira Bhanu B.Ed. M.A., LL.B.
Advocate & Notary Public
5th Main, 2nd Cross, J.C. Extn.
HARIHARA-577601.
Mob: 9844754786.



Transleted by me Kannad to
English as per the documents it has
ATTESTED BY MI
NOTARY PJB:IC
HARIHAR.
DATE 25/4/25

ಜಿಲ್ಲಾ ಪಂಚಾಯತ್, ದಾವಣಗೆರೆ.
ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಇಲಾಖೆ
ಆಡಳಿತ ವೈದ್ಯಾಧಿಕಾರಿಗಳ ಕಛೇರಿ, ನಗರ ಪ್ರಾಥಮಿಕ ಆರೋಗ್ಯ ಕೇಂದ್ರ, ಹರ್ಲಾಪುರ, ಹರಿಹರ-577501
ಹರಿಹರ (ತಾಲ್ಲೂಕು) ದಾವಣಗೆರೆ (ಜಿಲ್ಲೆ)

ಕ್ರ.ಸಂ:ವೈ.ನ.ಆ.ಕೇಂದ್ರ,ಹ/2024-25/88

ದಿನಾಂಕ: 01.04.2025

ಗೆ,

ಮುಖ್ಯೋಪಾಧ್ಯಾಯರು
ಸಂತ ಅಲೋಶಿಯಸ್ ಇಂಟರ್‌ನ್ಯಾಷನಲ್
ಶಾಲೆ, ಅಮರವಾತಿ ಹರಿಹರ, 577601

ಮಾನ್ಯರೇ,

ವಿಷಯ: ನೀರಿನ ಮಾದರಿಯನ್ನು ಪರೀಕ್ಷೆ ನಡೆಸಿ ಫಲಿತಾಂಶ ನೀಡುತ್ತಿರುವ ಬಗ್ಗೆ.

ಕ್ರ ಸಂ	ನೀರಿನ ಮಾದರಿ ಸಂಗ್ರಹಿಸಿದ ದಿನಾಂಕ	ಸಮಯ	ವಿಳಾಸ	ನೀರಿನ ಮಾದರಿ ಪರೀಕ್ಷಿಸಿದ ದಿನಾಂಕ	H2S ಫಲಿತಾಂಶ ದಿನಾಂಕ	ನೀರಿನ ಮಾದರಿಯ ಫಲಿತಾಂಶ
01	28-03-2025	9.50 AM	FILTER WATER	28-03-2025	30-03-2025	ಕುಡಿಯಲು ನೀರು ಯೋಗ್ಯವಾಗಿದೆ.
02	28-03-2025	10.10 AM	24*7 TAP WATER	28-03-2025	30-03-2025	ಕುಡಿಯಲು ನೀರು ಯೋಗ್ಯವಾಗಿದೆ.

ಈ ಮೇಲ್ಕಂಡ ವಿಷಯ ಹಾಗೂ ಕೊಷ್ಟಕಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ ದಿನಾಂಕ: 28-03-2025 ರಂದು ಸಂತ ಅಲೋಶಿಯಸ್ ಇಂಟರ್‌ನ್ಯಾಷನಲ್ ಶಾಲೆ, ಅಮರವಾತಿ ಹರಿಹರ, ಕುಡಿಯುವ ನೀರನ್ನು ಸಂಗ್ರಹಿಸಿ ನಗರ ಪ್ರಾಥಮಿಕ ಆರೋಗ್ಯ ಕೇಂದ್ರ ಹರ್ಲಾಪುರ ಆಸ್ಪತ್ರೆಯ ಪ್ರಯೋಗಶಾಲೆಯಲ್ಲಿ H2S ಮಿಡಿಯಾದಲ್ಲಿ ಪರೀಕ್ಷಿಸಿದಾಗ ಕುಡಿಯಲು ನೀರು ಯೋಗ್ಯವೆಂದು ವರದಿ ಬಂದಿರುತ್ತದೆ ಎಂಬ ಮಾಹಿತಿಯನ್ನು ಈ ಮೂಲಕ ದೃಢೀಕರಿಸಿದೆ.

ವಂದನೆಗಳೊಂದಿಗೆ

ಸ್ಥಳ : ಹರಿಹರ

ದಿನಾಂಕ: 01-04-2024

ವೈದ್ಯಾಧಿಕಾರಿಗಳು
ನಗರ ಪ್ರಾಥಮಿಕ ಆರೋಗ್ಯ ಕೇಂದ್ರ
ಹರ್ಲಾಪುರ, ಹರಿಹರ-577601.

ನಗರಸಭಾ ಕಾರ್ಯಾಲಯ,

ಹರಿಹರ-577601

ಜಿಲ್ಲೆ: ದಾವಣಗೆರೆ, ರಾಜ್ಯ: ಕರ್ನಾಟಕ



CITY MUNICIPAL COUNCIL

HARIHARA-577601

Dist: Davanagere

State: Karnataka

Website: www.hariharcity.mrc.gov.in

Phone: 08192-244266



Email: itstaff_ulb_harihara@yahoo.com

Fax: 08192-241024

ನಂ.ನಸಹ/ಆಶಾ/ಇತರೆ/ಸಿಆರ್-04/2025-26

ದಿನಾಂಕ: 01-04-2025

“ಧೃಢೀಕರಣ”

ವಿಷಯ: ಸೇಂಟ್ ಅಲೋಷಿಯಸ್ ಇಂಟರ್‌ನ್ಯಾಷನಲ್ ಸ್ಕೂಲ್ ರವರ ಆರೋಗ್ಯ ,
ನೈರ್ಮಲ್ಯ ಉತ್ತಮವಾಗಿರುವ ಬಗ್ಗೆ.


ಉಲ್ಲೇಖ:- ಪ್ರಾಂಶುಪಾಲರು, ಸೇಂಟ್ ಅಲೋಷಿಯಸ್ ಇಂಟರ್‌ನ್ಯಾಷನಲ್ ಸ್ಕೂಲ್
ಅಮರಾವತಿ, ಹರಿಹರ, ದಾವಣಗೆರೆ ಜಿಲ್ಲೆ.

ಈ ಮೇಲ್ಕಂಡ ವಿಷಯಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಹರಿಹರ ನಗರದ ಹಾಲಿ ವಾರ್ಡ್ ನಂ. 12ರ
ಅಮರಾವತಿ ಪ್ರದೇಶದಲ್ಲಿ ಖಾತೆ ಸಂಖ್ಯೆ: ಹೆಚ್/3578/356-1 ರಿಂದ 3670/356-101 ರಲ್ಲಿ
ಸೇಂಟ್ ಅಲೋಷಿಯಸ್ ಇಂಟರ್‌ನ್ಯಾಷನಲ್ ಸ್ಕೂಲ್ ನಡೆಸುತ್ತಿದ್ದು, 2025-26ನೇ ವರ್ಷಕ್ಕೆ CBSE
ಅಭಿಲಾಷೆಗಳಿಗೆ ಆನ್‌ಲೈನ್ ಅರ್ಜಿ ಸಲ್ಲಿಸಲು ಶಾಲೆಯ ಆರೋಗ್ಯ ಮತ್ತು ನೈರ್ಮಲ್ಯ ಪ್ರಮಾಣ ಪತ್ರ
ಕೋರಿ ಉಲ್ಲೇಖದಂತೆ ಅರ್ಜಿ ಸಲ್ಲಿಸಿರುತ್ತಾರೆ.

ಇದಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಹರಿಹರ ನಗರಸಭೆಯ ಹಿರಿಯ ಆರೋಗ್ಯ ನಿರೀಕ್ಷಕರು ದಿನಾಂಕ:
28/03/2025 ರಂದು ಶಾಲೆಗೆ ಬೇಟಿ ನೀಡಿ ಪರಿಶೀಲಿಸಲಾಗಿ, ಈ ಶಾಲೆಯಲ್ಲಿ ಶೌಚಾಲಯ ಮತ್ತು
ಕೊಠಡಿಗಳ ವಿವರಗಳು ಈ ಕೆಳಗಿನಂತೆ ಇರುತ್ತವೆ.

- 1) 03 ಮಹಡಿ ಶಾಲಾ ಕೊಠಡಿಗಳು ಇವೆ.
- 2) 11 ಬಾಲಕಿಯರ ಶೌಚಾಲಯಗಳಿರುತ್ತವೆ.
- 3) 11 ಬಾಲಕರ ಶೌಚಾಲಯಗಳಿರುತ್ತವೆ.
- 4) 01 ಪುರುಷ ನಿಬ್ಬಂಧಿ ವರ್ಗದವರ ಶೌಚಾಲಯವಿರುತ್ತದೆ.
- 5) 01 ಮಹಿಳಾ ನಿಬ್ಬಂಧಿ ವರ್ಗದವರ ಶೌಚಾಲಯವಿರುತ್ತದೆ.
- 6) 04 ವಿಶ್ರಾಂತಿ ಕೊಠಡಿಗಳಿರುತ್ತವೆ. ಶಾಲಾ ಕಟ್ಟಡದ ಮುಂದೆ ಆಟದ ಮೈದಾನವಿರುತ್ತದೆ.

ಇದರಂತೆ ಸೇಂಟ್ ಅಲೋಷಿಯಸ್ ಇಂಟರ್‌ನ್ಯಾಷನಲ್ ಸ್ಕೂಲ್, ಅಮರಾವತಿ, ಹರಿಹರದ
ಆರೋಗ್ಯ ಮತ್ತು ನೈರ್ಮಲ್ಯ ಉತ್ತಮವಾಗಿರುತ್ತದೆ.


ಪೌರಾಯುಕ್ತರು,
ನಗರಸಭೆ, ಹರಿಹರ.

✓
ಪ್ರಾಂಶುಪಾಲರು,
ಸೇಂಟ್ ಅಲೋಷಿಯಸ್ ಇಂಟರ್‌ನ್ಯಾಷನಲ್ ಸ್ಕೂಲ್,
ಅಮರಾವತಿ, ಹರಿಹರ.